Dexerials Corporation Product Name: T4412WP

## SAFETY DATA SHEET

Date Prepared : 10/19/2009 Date Revised : 08/25/2022

# SECTION 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product name : T4412WP (Pressure sensitive double sided tape)

Manufacturer : Dexerials Corporation

Address : 1724 Shimotsuboyama, Shimotsuke-shi,

Tochigi 323-0194, Japan

Phone: +81-285-39-7950 Fax: +81-285-47-3242

(Company-ID: F-766)

## SECTION 2. HAZARDS IDENTIFICATION

## Classification of hazardous

Not applicable

### Emergency overview

There is no special hazard in the normal use of this product.

Contact with adhesive face may cause irritation.

It is recommended to wear suitable protective gloves.

Ventilate if smells at working area.

#### Potential health effects

Skin/Eyes contact

Direct contact may cause irritation or sensitization.

Ingestion/Inhalation

Breathe in smell of product may cause headache, nausea and irritation to respiratory system.

Chronic effects/Carcinogenicity

None has known as product.

Product Name: T4412WP (Company-ID: F-766)

## SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

<Component> (% by weight)

1. Release liner

Composition

CAS# Substance Concentration

Polyethylene terephthalate (PET)

25038-59-9 100% film coated with silicone (As PET film)

release agent

2. Adhesive

Composition

Substance CAS# Concentration

Acrylic resin Trade Secret 90~100%

Trade Secret <1% Others

3. Base material

Composition

CAS# Substance Concentration

100% 25038-59-9 Polyethylene terephthalate (PET)

3. Release liner

Composition

Substance CAS# Concentration

Polyethylene terephthalate (PET)

25038-59-9 film coated with silicone 100% (As PET film)

release agent

#### SECTION 4. FIRST AID MEASURES

#### Inhalation

Remove to fresh air if feel ill by smell of product.

If the condition of a disease continues or getting worse, seek medical attention.

### Eye contact

Rinse immediately with plenty of water.

If irritation persists, seek medical attention.

#### Skin contact

Remove it gently then rinse with water.

If irritation persists, seek medical attention.

### Ingestion

As supplied, product is a solid material and would not in practice, be ingested.

#### SECTION 5. FIRE-FIGHTING MEASURES

#### Extinguish media

Water spray, carbon dioxide, dry chemical powder or foam

## Prohibited Extinguishing media

No information

#### Firefighting instruction

Wear positive pressure, self-contained breathing apparatus and protective clothing to

**Dexerials Corporation** 

Product Name: T4412WP (Company-ID: F-766)

prevent contact with skin and eyes.

Evacuate area and fight fire from a safe distance.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

As supplied, product is a solid material and would not in practice, be released.

## SECTION 7. HANDLING AND STORAGE

#### Handling

Protection gear may not be required in particular in the normal use of this product.

It is recommended to wear suitable protective gloves in the case of direct contact with the adhesive face.

Handle at well-ventilated place so as not to be inhaled the smell of product.

It is recommended to install the appropriate equipment of ventilation when the smell of product is spread at working area.

#### Storage

Store in a cool and dark place.

# SECTION 8. EXPOSURE CONTROLS, PERSONAL PROTECTION

#### Engineering controls

Suitable ventilating equipment should be installed at working area if smells hardly.

Personal protection

Protective gloves: Wear impervious gloves (polyethylene, nitrile rubber) when

contact with the adhesive face.

Protective glasses: Not required in particular. Protective clothes: Not required in particular.

Exposure guideline
No data as product.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Adhesive tape
Color : Light yellow
Odor : Acrylic odor
Boiling point : Not applicable
Vapor pressure : Not applicable
Melting point : Not applicable
Solubility in water : Insoluble in water

Specific gravity : Approx. 1.3

## SECTION 10. STABILITY AND REACTIVITY

#### Stability

Stable under normal handling conditions.

### **Incompatibility**

Strong acids and strong oxidizing agents.

#### Hazardous decomposition products

Carbon monoxide, Carbon dioxide

#### Hazardous polymerization

It will not occur.

**Dexerials Corporation** 

Product Name: T4412WP (Company-ID: F-766)

## SECTION 11. TOXICOLOGICAL INFORMATION

No information and data as product

## SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicological information Unknown

Other harmful information

Unknown

## SECTION 13. DISPOSAL CONSIDERATIONS

Comply with all applicable federal, state and local regulations.

## SECTION 14. TRANSPORT INFORMATION

UN NO. : Not listed International classification : Not relevant

## SECTION 15. REGULATORY INFORMATION

Export control law in Japan: Under control item of Catch-all regulation.

Other regulatory information

We are not able to check up the regulatory information in regard to the substances in your country or region, therefore, we request this matter would be filled by your responsibility.

## SECTION 16. OTHER INFORMATION

Reference

SDS of each component issued by material makers.

The information herein is the best of our knowledge and is only related to this specific product. No warranty, either expressed or implied, is made with respect to such information.

The recommended handling procedures are believed to be generally applicable.

However, it is user's responsibility to review these recommendations in the specific content of the intended use. We reserve the right to revise this SDS as new information

become available. It is recommended to ask for the latest version to our sales division.

End of SDS