

## SAFETY DATA SHEET

Date Prepared : 08/24/1998  
Date Revised : 08/29/2022

### ***SECTION 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION***

Product name : T4000B (Pressure sensitive double sided tape)  
Manufacturer : Dexerials Corporation  
Address : 1724 Shimotsuboyama, Shimotsuke-shi,  
Tochigi 323-0194, Japan  
Phone: +81- 285-39-7950 Fax: +81-285-47-3242

### ***SECTION 2. HAZARDS IDENTIFICATION***

#### Classification of hazardous

Not applicable

#### Emergency overview

There is no special hazard in the normal use of this product.  
Contact with adhesive face may cause irritation.  
It is recommended to wear suitable protective gloves.  
Ventilate if smells at working area.

#### Potential health effects

##### Skin/Eyes contact

Direct contact may cause irritation or sensitization.

##### Ingestion/Inhalation

Breathe in smell of product may cause headache, nausea and irritation to respiratory system.

##### Chronic effects/Carcinogenicity

None has known as product.

Carbon black is listed as a potential carcinogen by IARC.

### ***SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS***

Chemical component by WT.%

1. Adhesive

Composition

Substance	CAS#	Concentration
Acrylic resin	Trade Secret	70~80%
Tackifier	Trade Secret	20~30%
Carbon Black	1333-86-4	<1%

2. Base material

Composition

Substance	CAS#	Concentration
Nonwoven paper	N/A	100%

3. Release liner

Composition

Substance	CAS#	Concentration
Polyethylene laminated paper coated with silicone release agent	N/A	100%

### ***SECTION 4. FIRST AID MEASURES***

Inhalation

Remove to fresh air if feel ill by smell of product.

If the condition of a disease continues or getting worse, seek medical attention.

Eye contact

Rinse immediately with plenty of water.

If irritation persists, seek medical attention.

Skin contact

Remove it gently then rinse with water.

If irritation persists, seek medical attention.

Ingestion

As supplied, product is a solid material and would not in practice, be ingested.

### ***SECTION 5. FIRE-FIGHTING MEASURES***

Extinguish media

Water spray, Carbon dioxide, Dry chemical powder or Foam

Prohibited Extinguishing media

No information

Firefighting instruction

Wear positive pressure, self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

Evacuate area and fight fire from a safe distance.

## ***SECTION 6. ACCIDENTAL RELEASE MEASURES***

As supplied, product is a solid material and would not in practice, be released.

## ***SECTION 7. HANDLING AND STORAGE***

### Handling

Protection gear may not be required in particular in the normal use of this product. It is recommended to wear suitable protective gloves in the case of direct contact with the adhesive face.

Handle at well-ventilated place so as not to be inhaled the smell of product.

It is recommended to install the appropriate equipment of ventilation when the smell of product is spread at working area.

### Storage

Store in a cool and dark place.

## ***SECTION 8. EXPOSURE CONTROLS, PERSONAL PROTECTION***

### Engineering controls

Suitable ventilating equipment should be installed at working area if smells hardly.

### Personal protection

Protective gloves: Wear impervious gloves (polyethylene, nitrile rubber) when contact with the adhesive face.

Protective glasses: Not required in particular.

Protective clothes: Not required in particular.

### Exposure guideline

No data as product.

As carbon black: 3.5mg/m<sup>3</sup> (ACGIH TLV/TWA)

## ***SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES***

Appearance	:	Adhesive tape
Color	:	Black
Odor	:	Acrylic odor
Boiling point	:	Not applicable
Vapor pressure	:	Not applicable
Melting point	:	Not applicable
Solubility in water	:	Insoluble in water
Specific gravity	:	Approx. 0.9

## ***SECTION 10. STABILITY AND REACTIVITY***

### Stability

Stable under normal handling conditions.

### Incompatibility

Strong acids and strong oxidizing agents.

### Hazardous decomposition products

Carbon monoxide, Carbon dioxide

### Hazardous polymerization

It will not occur.

## ***SECTION 11. TOXICOLOGICAL INFORMATION***

No information and data as product

As carbon black

Dexerials Corporation  
Product Name: T4000B

(Company-ID: F-009)

Acute effects  
Mild irritant  
Chronic effects  
Not known  
Mutagenicity  
Mutagenicity is negative by Ames test.  
Carcinogenic effects  
IARC  
(Carbon black) : IARC-Gr.2B ; Possibly carcinogenic to humans.  
ACGIH  
(Carbon black) : ACGIH-A4 ; Not Classifiable as a Human Carcinogen.

## ***SECTION 12. ECOLOGICAL INFORMATION***

### Ecotoxicological information

Unknown

### Other harmful information

Unknown

## ***SECTION 13. DISPOSAL CONSIDERATIONS***

Comply with all applicable federal, state and local regulations.

## ***SECTION 14. TRANSPORT INFORMATION***

UN NO. : Not listed  
International classification : Not relevant

## ***SECTION 15. REGULATORY INFORMATION***

Export control law in Japan: Under control item of Catch-all regulation.

### Other regulatory information

We are not able to check up the regulatory information in regard to the substances in your country or region, therefore, we request this matter would be filled by your responsibility.

## ***SECTION 16. OTHER INFORMATION***

### Reference

SDS of each component issued by material makers.

The information herein is the best of our knowledge and is only related to this specific product.

No warranty, either expressed or implied, is made with respect to such information.

The recommended handling procedures are believed to be generally applicable.

However, it is user's responsibility to review these recommendations in the specific content of the intended use. We reserve the right to revise this SDS as new information become available. It is recommended to ask for the latest version to our sales division.

End of SDS